


Standard Operating Procedure for Monkey-Pox USM (IMTGT 2024):

Process	Explanation	Action
<p><u>Symptomatic Case:</u></p>  <pre> graph TD A[Suspected Mpox Case (Symptomatic)] --> B[Suspected cases are isolated in individual rooms with separate bathrooms till the completion of the event.] B --> C[Cases with severe symptoms will be referred to the nearest Hospital for management] C --> D[Notification of all cases is mandatory via e-notification] D --> E[For close contacts of positive cases please refer to SOP close contacts] E --> F[Discharge with medical advice when going back home. Give Health Alert Card.] F --> G[Sterilization and disinfection of the room , bathroom and all surfaces.] G --> H[End] </pre>	<p>1. Delegates and Athletes who are symptomatic: <u>Symptoms are any of the following:</u> a. Acute onset of fever (>38.5°C) b. Headache c. Myalgia (muscle pain/ body aches) d. Back pain e. Profound weakness/ fatigue. OR Unexplained skin rash since January 2022, mucosal lesions. Skin rash may include single or multiple lesions in the anogenital region or other parts of the body. OR Lymphadenopathy (Classical sign of Mpox). 1(i). If having cough or upper respiratory tract infection with the above symptoms, screen for COVID and Influenza (follow SOP Covid and Influenza)</p> <p>2. Suspected cases are isolated in rooms with individual bathrooms and advised to stay there for the duration of their stay. Samples for screening, duration of isolation, permission to return home will depend on instructions by the health inspector and the local health department.</p>	<p>Team Supervisors. Medical Standby Team</p> <p>Health Inspector Pusat Sejahtera HAC (accommodation, food) Local Health Department/ Health Inspector KKM</p>

	<p>3. Cases with severe symptoms are referred to the nearest hospital for treatment. Dedicated ambulance will be provided from Hospital.</p>	Examining Doctor
	<p>4. Notification of case to the Health department and Action Room Pusat Sejahtera</p>	<p>Examining Doctor</p> <p>Health Inspector</p>
	<p>5. For close contacts of positive cases please follow SOP for close contacts.</p>	
	<p>6. When the event is over, the case is allowed to return home with a Health Alert Card.</p>	Discharging Doctor
	<p>7. The room vacated and the bathroom is then disinfected and sterilized with diluted Clorox 1:10. Ensure cleaning staff are in full PPE. All disposable items must be placed in yellow biohazard bags and disposed of in Pusat Sejahtera.</p>	<p>Cleaning Staff</p> <p>Supervised by Health Inspector Pusat Sejahtera and selected nursing staff</p>
	<p>8. At all times staff in contact with cases must be in full PPE, cases are advised to wear face mask at all times when in contact with health care staff and are advised to maintain good hygiene. Recommended distance from case is 1 meter.</p>	Information

Process	Explanation	Action
<p><u>Close Contacts:</u></p> <pre> graph TD A[Confirmed close contact with positive case of monkey pox] --> B[Symptomatic] A --> C[Asymptomatic] B --> D[If symptomatic during stay follow the SOP for symptomatic cases.] C --> E[Discharge with Health Alert Card] D --> F[End] E --> F </pre>	<p>1. If close contacts of positive mpox cases develop symptoms during their stay follow the SOP for suspected cases of mpox.</p> <p>3. If close cases of positive mpox cases are asymptomatic discharge with health alert card.</p> <p>5. At all times staff in contact with cases must be in full PPE, cases are advised to wear face mask at all times when in contact with health care staff and are advised to maintain good hygiene. Recommended distance from case is 1 meter.</p>	<p>Medical Standby Team</p> <p>Health Inspector Pusat Sejahtera</p> <p>Health Inspector Pusat Sejahtera</p> <p>Note.</p>